www.redbooklive.com

Certificate of Product Approval

Certificate Number: 234d Part 6

lssue: 06

PRE

Sunray Engineering Limited

Kingsnorth Industrial Estate Wotton Road Ashford Kent TN23 6LL

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Product

ExcluDoor 6 hinged security doorsets

Standard

LPS 1175: Issue 7

Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities

P.Dilla	Paul Dillon	9 May 2023	8 January	2013
Signed for BRE Global Ltd.	Verifier	Date of Issue	Date of First	lssue
TON CERTIFICATI		nains the property of BRE Global Ltd. and is issued (for details visit <u>www.redbooklive.com/terms)</u> . ficate and appendix please visit		
	www.redbooklive.com/check, sci		a 394 (a)	
	BRE Global Ltd, Watford, WD25 T: +44 (0)333 321 8811 E: <u>enq</u> i			hre
\vee \lor	LPCB is a Registered Trademark of	of the Building Research Establishment Ltd.		
BF1281A Rev.1.1	Pa	age 1 of 5	© BRE	Global Ltd, 2023

Appendix to Certificate No: 234d Part 6 Sunray Engineering Limited

Issue: 06

Hinged Security Doorsets

Product Name	Туре	Minimum Structural Opening Height (m)	Maximum Structural Opening Height (m)	Minimum Structural Opening Width (m)	Maximum Structural Opening Width (m)	Security Rating	LPCB Ref. No.
ExcluDoor 6	Single leaf, outward opening hinged security doorset	1.8	2.4	0.75	1.24	6	234d/15
	Double leaf, outward opening hinged security doorset ¹	1.8	2.4	1.24	2.4	6	

Approved Locking Configurations

LPCB			Compatible Loc	king Systems
Ref. No.			Active Leaf	Passive Leaf
234d/15	ExcluDoor 6	Single leaf, outward opening hinged security doorset	2 to 9	N/A
	ExcluDoor 6	Double leaf, outward opening hinged security doorset	2 to 9	1

Compatible Locking Systems

Compatible	Manufacturer	Model	Туре	Compatible Operat	ing Devices	Compatible External
Locking Systems					External Face Internal Face	
1	Sunray Engineering Limited	Two Sunray surface mounted drop bolts	Surface mounted drop bolt	None	Surface mounted drop bolt	N/A
2	Tindall Engineering Limited	Mico Abryll EPC AD3 / USCH6	Single-point locking system with automatic deadlock	Key and handle	Key and handle	A to K
3	Tindall Engineering Limited	Mico Abryll EPC AD3 / USCH6	Single-point locking system with automatic deadlock	Key and handle	Thumb turn and handle	L to X
4	Tindall Engineering Limited	Mico Abryll AD3 / USCH6	Single-point locking system with automatic deadlock	Key and handle	Key and handle	Y to AQ
5	Tindall Engineering Limited	Mico Abryll AD3 / USCH6 ²	Single-point locking system with automatic deadlock	Key and handle	Thumb turn and handle	Y to AQ

This certificate and appendix is maintained and held in force through regular surveillance activities

P.Dilla	Paul Dillon	9 May 2023	8 January 2013
Signed for BRE Global Ltd.	Verifier	Date of Issue	Date of First Issue
UN CERTIFIC PATIENTS	subject to terms and condition To check the validity of this ce	remains the property of BRE Global Ltd. and ns (for details visit <u>www.redbooklive.com/te</u> rrtificate and appendix please visit scan the QR tag or contact us.	
	BRE Global Ltd, Watford, WD T: +44 (0)333 321 8811 E: <u>e</u>		hre
\vee \vee	LPCB is a Registered Tradema	rk of the Building Research Establishment L	td. ERE LIC

Appendix to Certificate No: 234d Part 6 Sunray Engineering Limited

Issue: 06

Compatible	e Manufacturer Model Type		Compatible Operating	g Devices	Compatible	
Locking Systems				External Face	Internal Face	External Cylinders
6	Tindall Engineering Limited	Mico Abryll EPC AD3	Single-point locking system with automatic deadlock	None	Key and handle	N/A
7	Tindall Engineering Limited	Mico Abryll EPC AD3	Single-point locking system with automatic deadlock	None	Thumb turn and handle	N/A
8	Tindall Engineering Limited	Mico Abryll AD3	Single-point locking system with automatic deadlock	None	Key and handle	N/A
9	Tindall Engineering Limited	Mico Abryll AD3 ²	Single-point locking system with automatic deadlock	None	Thumb turn and handle	N/A

Compatible Cylinders

Cylinder Reference	Manufacturer	Model	Туре	'Plus' Rating ³
A	Abloy	CY304 Protec	Europrofile double cylinder (key:key)	+
В	Access2	Tigres Omega	Europrofile double cylinder (key:key)	+
С	Assa	4822	Europrofile double cylinder (key:key)	+
D	Assa	7622	Europrofile double cylinder (key:key)	
E	Assa	C5822	Europrofile double cylinder (key:key)	+
F	Assa	dp4422	Europrofile double cylinder (key:key)	+
G	Kaba	Gege RAM	Europrofile double cylinder (key:key)	+
Н	Kaba	Quattro PluS	Europrofile double cylinder (key:key)	+
	Medeco	M3-ARX	Europrofile double cylinder (key:key)	+
J	Abloy	CY304 Protec Cliq ⁴	Europrofile double cylinder (key:key) (mechatronic)	+
К	Assa	44M22 Cliq ⁴	Europrofile double cylinder (key:key) (mechatronic)	+
L	Abloy	CY305 Protec	Europrofile double cylinder (key:thumbturn)	+
Μ	Abloy	CY333 Protec (PT)	Europrofile double cylinder (key:thumbturn)	+
Ν	Access2	Tigres Omega	Europrofile double cylinder (key:thumbturn)	

This certificate and appendix is maintained and held in force through regular surveillance activities

P.Dillo	Paul Dillon	9 May 2023	8 January 2013
Signed for BRE Global Ltd.	Verifier	Date of Issue	Date of First Issue
LPCB	subject to terms and condition	emains the property of BRE Global Ltd. and s (for details visit <u>www.redbooklive.com/te</u> rtificate and appendix please visit scan the QR tag or contact us.	
	BRE Global Ltd, Watford, WD2 T: +44 (0)333 321 8811 E: <u>er</u>		
	LPCB is a Registered Trademar	k of the Building Research Establishment L	td. DIC

Appendix to Certificate No: 234d Part 6 Sunray Engineering Limited

Issue: 06

Cylinder Reference	Manufacturer	Model	Туре	'Plus' Rating³
0	Assa	4827	Europrofile double cylinder (key:thumbturn)	+
Р	Assa	7627	Europrofile double cylinder (key:thumbturn)	
Q	Assa	44M27 Cliq ⁴	Europrofile double cylinder (key:thumbturn) (mechatronic)	+
R	Assa	C5827	Europrofile double cylinder (key:thumbturn)	+
S	Assa	dp4427	Europrofile double cylinder (key:thumbturn)	+
Т	Kaba	Gege RAM	Europrofile double cylinder (key:thumbturn)	+
U	Kaba	Quattro PluS	Europrofile double cylinder (key:thumbturn)	+
V	Medeco	M3-ARX	Europrofile double cylinder (key:thumbturn)	+
W	Abloy	CY305 Protec Cliq ⁴	Europrofile double cylinder (key:thumbturn) (mechatronic)	+
Х	Abloy	CY333 Protec Cliq ⁴	Europrofile double cylinder (key:thumbturn) (mechatronic)	+
Y	Abloy	CY403 Protec	Rim cylinder	+
Z	Assa	4857	Rim cylinder	+
AA	Assa	C5857	Rim cylinder	+
AB	Kaba	Quattro PluS	Rim cylinder	+
AC	Medico	M3ARX	Rim cylinder	+
AD	Abloy	CY403 Protec Cliq ⁴	Rim cylinder (mechatronic)	+
AE	Abloy	CY201 Protec (PT)	Scandinavian Oval cylinder	+
AF	Abloy	CY201 Protec Cliq ⁴	Scandinavian Oval cylinder (mechatronic)	+
AG	Access2	Tigres Omega	Scandinavian Oval cylinder	+
AH	Assa	4801	Scandinavian Oval cylinder	+
Al	Assa	7601	Scandinavian Oval cylinder	
AJ	Assa	C5801	Scandinavian Oval cylinder	+
AK	Assa	dp4401	Scandinavian Oval cylinder	+
AL	Kaba	K20	Scandinavian Oval cylinder	
AM	Kaba	Quattro PluS	Scandinavian Oval cylinder	+
AN	Medeco	M3-ARX	Scandinavian Oval cylinder	+
AO	Assa	dp4401 Cliq ⁴	Scandinavian Oval cylinder (mechatronic)	+
AP	Locken	CL-PL2WR ⁴	Scandinavian Oval cylinder (mechatronic)	+

This certificate and appendix is maintained and held in force through regular surveillance activities



Appendix to Certificate No: 234d Part 6 Sunray Engineering Limited

Issue: 06

Accessories approved on ExcluDoor 6 doorsets

Accessory	cessory Description		ompatible Locking Systems			
		Threshold				
		Full Frame	Low Level with Stop	Low Level		
ExcluGlass 6 vision panel	200 mm wide by 300 mm high (visible area) vision panel located in the top half of the leaf either at the centreline of the leaf or between the centre of the leaf and leading edge ⁵ .	1 to 9	1 to 9	1 to 9		
Door Viewer	Door viewer located in the top half of the leaf	1 to 9	1 to 9	1 to 9		

Notes:

- 1. The ExcluDoor 6 double leaf doorsets can be produced with leafs of equal and unequal width, with the leaf width being within the following range :
 - a. Active leaf width between 0.615 m and 1.1695 m (excluding the astragal).
 - b. Passive leaf width between 0.615 m and 1.1695 m (excluding the astragal).
- 2. The BDT break dome can be used on Tindall Mico locking systems without undermining the security rating achieved by the doorset.
- 3. A 'Plus' rating demonstrates the cylinder meets the requirements defined in Annex A of BS 3621:2007 or manipulation resistance class '1' defined in LPS 1242: Issue 2.
- 4. The resistance of the mechatronic cylinders to "non-mechanical" attack has not been assessed as it is outside the scope of LPS 1175. Likewise, the approval does not cover possible effects of any susceptibilities relating to the functionality and performance of ancillary equipment that may be used in conjunction with those cylinders. It is therefore recommended that specifiers satisfy themselves that the components used are either resistant to electronic methods of attack, or that they are suitably protected from such tampering/abuse and are resistant to any environmental conditions/interference that may cause the locking system to disengage.
- 5. The position of the vision panels depends on the locking hardware fitted. Please refer to the manufacturer for more details.

This certificate and appendix is maintained and held in force through regular surveillance activities

P.Dillo	Paul Dillon	9 May 2023	8 January 2013
Signed for BRE Global Ltd.	Verifier	Date of Issue	Date of First Issue
NON CERTIFICE	subject to terms and condit To check the validity of this www.redbooklive.com/chec	x remains the property of BRE Global Ltd. a ions (for details visit <u>www.redbooklive.com</u> , certificate and appendix please visit <u>k</u> , scan the QR tag or contact us.	
	BRE Global Ltd, Watford, W T: +44 (0)333 321 8811 E		
\vee \vee	LPCB is a Registered Traden	nark of the Building Research Establishment	Ltd.